



Classic Desktop™

- ✓ Record 4-24 Simultaneous Analog Channels
- ✓ Record 1-8 Simultaneous VoIP Channels
- ✓ Built-In LCD Control Panel
- ✓ Easy to Use, Turnkey Solution
- ✓ 60,000 Hours Onboard Storage
- ✓ DVD or Optional Blu-Ray Archiving
- ✓ Remote Access PC Software Included



Compact, Professional Voice Logging for Phone and Radio

When call recording and monitoring is critical to your operations, you need a fully featured, dedicated and professional voice logging system. Total Recall Desktop is the compact, reliable and entirely self-contained solution for recording, archiving, searching and replaying your critical phone and radio communications.

Fast & Convenient Access

Live monitor, search and replay calls from the built in control panel, featuring simple navigation keys and a big, bright 130 x 97mm TFT LCD display. Alternatively, all unit functions and configuration can be managed via your network and Remote Manager - PC software included at no additional cost with your Total Recall Desktop.

Simple GUI and Navigation

Your solution can be managed from the control panel via three menus (Logging, Search and Options) and four simple navigation keys. Call replay control keys (play/pause, fast forward, rewind, stop) are also included.

Reliable and Fault Tolerant

Total Recall Desktop is custom engineered for voice logging, offering superior reliability compared to PC based systems. As Total Recall is Linux based, you can take advantage of the security, speed and reliability of an enterprise-grade UNIX operating system - made accessible thanks to our intuitive user interface on the built-in control panel and Remote Manager PC software.


Long-Term Storage and Archive

Store up to 60,000 hours or 350,000 call records onboard at 16 kbps HQVQ compression. Automatically archive calls to inexpensive CD or DVD media, or to (optional) high-capacity Blu-Ray media.

Convenient and Powerful Windows PC Client Software Included

All unit configuration, live monitoring, search and replay functions may be performed from the convenience of your Windows PC, via a TCP/IP network or a 56k dialup connection. Copy calls from your Total Recall system or archive discs to your computer, or email calls in MP3, WAV, or secure TRC formats.

Remote Manager may also be used to add notes to calls in real time, which can later be used as a search parameter in conjunction with time, date, channel, extension, call direction, number calling or calling number (where transmitted).



Remote Manager PC Client Interface

Multiple Security Options

Multiple password protected access profiles and comprehensive menu access, configurable on a per-user basis, ensures that data security is maintained while extending the benefits of recording to more people within your operation.

Centralised System Management

Use and manage multiple Total Recall Desktop units in a 'server bank' with one PC using Remote Manager, to achieve virtually unlimited channel capacity for the whole system.

User Definable Call Recording System

Start and stop recording (depending on your telephony interface) by voltage detect, VOX detect, VoIP session and/or Record-on-Demand (software or DTMF code control). Beep tone is selectable per analog channel, and access to live monitoring is configurable per user-defined extension.

Record-on-Demand gives users the option to record or discard current calls, or even to partially record calls if required. Record all calls, or between user-defined times.

Multiple Playback Options

Continuously live monitor by extension, call replay via control panel & unit speaker, headphones, or line-out jack; or replay via the inbuilt media player in Remote Manager on your PC.

Record Everything

Record up to 24 analog-only channels, or mix-and-match up to 8 analog channels with 8 VoIP channels. Analog channels can be from any line-level audio source - telephones, 2-way radio, intercoms etc. Inputs are standard modular audio jacks that are compatible with a wide range of easily available accessories. SIP and H.323 VoIP interfaces are also supported.

Analog channels are field upgradable in 4, 8 or 12 channel multiples, up to the maximum of 24 channels. Additional VoIP channels are activated by a simple license key, up to the maximum 8 channels.

Do You Have Total Recall?

Proven in thousands of installations worldwide, Total Recall is the professional and cost effective choice in voice logging systems and services.

For more information, or to find your nearest authorised Total Recall dealer, visit www.totalrecallvr.com




Total Recall Singapore (Elcor Pte Ltd)

10 Anson Road, #21-02
International Plaza
Singapore 079903

Ph: +65 93 745 858
Web: www.totalrecall.com.sg
Email: tancw@totalrecall.com.sg

ON698 CE FC
FCC ID: 6MY AUS-34627-RC-N
US: EE2 RC 15B DSP USB
Industry Canada
Industrie Canada
3545 10457A
IEC09050
IDA Singapore: DA 102 655
UK Rail Type Approval:
EN-50121-4:2000

Specifications



Onboard Controls

Built in 130 x 97 mm colour TFT LCD, customised keypad, playback controls (play, stop, pause, fast-forward, rewind, skip forward), headphone jack with volume control, line-out jack.

Channel Capacity

Analog: 24 simultaneous channels, in 4, 8 or 12 channel modules.

VoIP: 8 simultaneous channels in 1 channel modules.

Hybrid Mode: 8 analog channels plus 8 VoIP (SIP, H.323) channels.

Recording Inputs

Analog 2-wire POTS, FSKR, DTMF, PSTN line interface RJ11C/RJ12/RJ14. SIP (RFC3261, RFC2976, RFC2833), H.323 (ITU-T H.323, ITU-T H.225, ITU-T H.245), SDP (RFC3264), RTP (RFC3550).

Recording Triggers

On Demand (via software or DTMF code trigger), off-hook voltage detect, VOX (selectable -20 dBm to -40 dBm). VoIP session (SIP, H.323).

Onboard Storage

Internal SATA hard-drive, provides storage for the most recent 60,000 hours or 350,000 individual calls (whichever occurs first) at 16 kbps HQVQ compression.

Offline Storage

CD/DVD+RW archive device as standard, or optional Blu-Ray archive device. Store approximately 180 hours per CD-R, 1,000 hours per DVD+RW, or 6,000 hours per BD-RE.

Reliability Features

Built-in event log and audit trail functions. Enterprise Linux system platform, purpose-built for 24/7 voice logging applications.

Security

Multiple user access levels, password controlled. Configurable channel access per user.

Operating System

Linux (CentOS 5.2).

Onboard Database

SQL, up to 60,000 hours or 350,000 calls. Configurable retention options.

Remote Access & Management

Remote Manager PC software, compatible with Windows 2000/XP/Vista/7. Included with unlimited licences at no additional cost with your Total Recall system.

Secure Java program provides PC based access to all system configuration and functionality, via your TCP/IP network or 56k dialup connection. Wizard-based installation & highly configurable per-user access security. Export, save and email calls in MP3, WAV or secure TRC formats via Remote Manager.

Call Playback Options

Continuously live-monitor by extension, call replay via built-in control panel & unit speaker, headphones, or line-out jack - or via your network and remote PC with Remote Manager software. Play, stop, pause, fast-forward, rewind and skip forward playback controls. Single-press 'Quick Recall' function for rapid search and replay of recent calls.

Playback Search Parameters

Extension name, channel number, time, date, dialled number or incoming number (DTMF/CLI, where available), call duration, call direction, Record-on-Demand user, user-added note.

Network

10/100/1000 Mbps Ethernet, TCP/IP.

Dimensions and Weight

165 (H) x 370 (W) x 365 (D) mm. Weight 6 Kg.

For more information, contact your local dealer: